

FENCE CATALOG

No. 37

THE H. BELMER CO.

1101-1107 West Sixth St.,

CINCINNATI, O.

THE H. BELMER CO.,

Cincinnati, Ohio.

Barbed Wire,

Annealed Fence Wire,

Plain Wire,

Galvanized Fence Wire,

Steel Fence Posts,

Fence Staples,

Post Hole Diggers,

Screen Doors and Windows,

Bale Ties,

Tacks,

Wire Stretchers,

Wire Nails,

Coated Nails,

Window Guards,

Wire Work,

Screen Cloth,


Roofing,

Fire Guards.

IN offering this Fence Catalogue to our dealers, we do so believing that it will assist you to supply the frequent demands of your customers for various kinds of fencing. We will take pleasure in giving you prices or further information relative to contents.

THE H. BELMER COMPANY

CINCINNATI, OHIO



BELMER U. S. FIELD FENCE

Designs 1155, 1047, 939, 832, 726

Specification No. II.

TOP AND BOTTOM No. 9. - FILLER No. 11.

Design No.	Height In Inches	12-INCH STAYS		6-INCH STAYS	
		Approx. Wt. per Rod Pounds		Approx. Wt. per Rod Pounds	
1155	55	11.8		15.8	
1047	47	10.6		14.0	
939	39	9.4		12.3	
832	32	8.3		10.7	
726	26	7.2		9.2	

Specification No. 9. (All No. 9 Wire)

1155	55	17.1	23.3
1047	47	15.3	20.8
939	39	13.5	18.1
832	32	11.8	15.6
726	26	10.1	13.3

96

BELMER U. S. FIELD FENCE.

SPECIFICATION NO. 12½

HEIGHTS


726

832

939

1047

12 in. Stays



AM. S. & V. CO.

HEIGHTS

726

832

939


1047

6 in. Stays

Top and Bottom Wires No. 10. Line and Stay Wires No. 12½. You can meet Catalogue House competition with this fence.




WALK GATE.



SINGLE DRIVE GATE.

Stock Sizes		Approximate Weight. Lbs.	Stock Sizes		Approximate Weight Lbs.
3 ft. x 50 in.		21	10 ft. x 50 in.		61
3½ ft. x 50 in.		23	12 ft. x 50 in.		71
4 ft. x 50 in.		24	14 ft. x 50 in.		80
3½ ft. x 58 in.		25	12 ft. x 58 in.		87

AMERICAN DIAMOND LAWN FENCE.



We stock Spec. I --

50 inch high

Weight per rod, 29.4 lbs.

Cable or line wires - - - 2 Strand #12½
twisted; cross or stay wires #14.



Can furnish any style or height wanted
promptly from Mill.


LAWN FENCE GATES.

3-3½ - 4 ft. Wide


36, 42 and 48 in. Height

ALSO

SINGLE and DOUBLE DRIVE
GATES.




Height, 29 inches.



"CATCH-ALL"

Baked Green Enamel
BURNER-BASKET

Width at top, 20 inches
Width at bottom, 16 inches
No. 10 gauge, Mesh $1\frac{1}{4}$ inch.



This is a rigid expanded
metal japanned basket.

No. 400--Height 30 inches
Top Diameter 18 inches
Bottom Diameter 15 inches




IWAN

Post Hole Digger




Hercules Digger

WOOD PICKET FENCE.




For Yards, Gardens and Corn Cribs—48 inch high.


Wood Pickets and No. 12½ Wire Cables. Painted red, Put up 50 ft. to roll.



STAR STRETCHER



STEEL DOUBLE JACK STRETCHER



STEEL SINGLE JACK STRETCHER

American Tee and Angle Steel Line Fence Posts

PACKED 5 POSTS TO BDL.


Painted

The Ideal T Post



Solid Anchorage
in Ground

SIZE
5 ft.
6 ft.
6½ ft.
7 ft.
7½ ft.
8 ft.
10 ft.




Shows method of attaching fence.



**Self-
Fastening
Angle Post**

SIZE
5 ft.
6 ft.
7 ft.

ROUND, END, CORNER AND GATE POSTS



End Posts have 1 brace.


Corner Post 2 braces.

Ball Tops and Gate Fixtures.



**Removable
Clothes Line
Posts**

ELECTRIC WELD LAWN FENCE FOR DOG KENNELS AND CORN CRIBS.




1½-inch Stays Only

Style No.	Height in inches	Inches Bet. Stays	Lawn and Crib	
			Top 11 all other wires 11	
			weight per 100 ft.	
7219	72	1½	217	
6016	60	1½	182	
4813	48	1½	147	
3610	36	1½	112	
247	24	1½	78	

Stay wires 1½ inches apart. Line wires 4 inches apart from top to bottom.

The entire fence is made of No. 11 wire.

Put up in 150-ft. rolls.



STYLE 3 inch C. FENCE.

Height 30 in. 36 in. 42 in. 48 in. 60 in.

Pickets No. 9 Wire Crimped, 3 inches apart.

Cables No. 12½ Wire 6 inches apart,
except top cables which are 2½ in. apart.

Full Rolls contain 165 and 250 feet.

Made of copper bearing galvanized wire.

Cut Rolls at a slight advance in price.



STYLE 2 $\frac{1}{4}$ inch C FENCE.


Height 30 in. 36 in. 42 in. 48 in.

Pickets No. 9 Wire Crimped 2 $\frac{1}{4}$ in. apart.

Cables 6 inches apart except top cables which are 2 $\frac{1}{2}$ inches apart. Full Rolls contain 165 and 250 feet. Made of copper bearing galvanized wire.

Cut Rolls at a slight advance in price.

STYLE 1 1/2 inch SPECIAL "C" FENCE.



Long Picket No. 9 Wire
Short Picket No. 9 Wire
Spaced at bottom 1 1/2 inches


Long pickets spaced
3 inches apart. Cables and
heights same as 3 in "C."

Height, 30 in. 36 in. 42 in. 48 in.

Made of copper bearing
galvanized wire.

Full Rolls, 165 and 250 ft.

Cut Rolls at a slight
advance in price.



Belmer's **Style S** Lawn Fence

Full Rolls, 165 and 250 ft.

Pickets No. 9, Copper Bearing Galv. Wire,

Spaced $1\frac{1}{2}$ in. Apart. Full Height


Heights.....30 in.....36 in.....42 in

Heights.....48 in.....60 in

5 ft ~


BTX S Hand ft
BLKN

STYLE "C" FENCE COMPLETE.



With Square or Round Iron Gate Posts and Steel Angle Rail and Round, Angle or T Line Posts, makes a pretty fence and is easily erected. We furnish this fence complete, ready to erect.

FLOWER BED GUARDS.




24 in. wide No. 11

Copper Bearing Galv.
FLOWER TRELLIS
 Full Rolls 165 and 250 ft.




3 Cables 16 inches High. Spaced 3 inches.




4 Cables 22 inches High. Spaced 3 inches.

Above heights measure from top to extreme end of picket

CHAIN LINK FENCE.



WIRE MESH CONCRETE REINFORCEMENT



Mesh { 2 in, No. 9 Wire, Galv. Before or After Weaving
 2 " No. 11 " Galv. " " " " "

Various weights carried in stock
 150 ft. rolls.

GALVANIZED BARB WIRE.



Galvanized 2 and 4 point both Hog and Cattle. Put up 80 Rods per reel.


Wire Nails · Cut Nails · Brads and Flat Head Nails

In 25 lb., 1 lb. and $\frac{1}{4}$ lb. packages.


UPHOLSTERER AND BILLPOSTER TACKS.

ANNEALED, GALVANIZED, TINNED AND COPPERED WIRE.

SASH WEIGHTS.



No. 1.



Fancy Iron

TREE BOXES

No. 1-11 in. dia. of 3-16
round Wire.


Iron 11 in. dia.
6 ft. high.

Flower Stands

We make a full line of
Flower Stands.



No. 129




Two Seat
Galvanized Wire
Settee.

These Settees are heavily
galvanized and are comfort-
able, durable and attractive

WRITE FOR PRICES

WIRE FLOWER TRAINERS




These trainers are made to stand about 4 inches away from the wall or porch, are driven into the ground at the bottom and screwed to building at the top. Easily removed to allow painting.

We make them to order, any size and shape and 6-inch mesh opening.

The Best Trainer Made.

WRITE FOR ESTIMATES.

THE H. BELMER CO., - - CINCINNATI, O.




Wire Window Guard with Channel Frame.

Wire Window Guards


We make Window Guards, Office Railings, Elevator Enclosures. Counter Guards, Stall Guards, and Wire Work of every description to order.

WRITE TO US
FOR PRICES




Wire Window Guard with Rd. Frame.


GALVANIZED WIRE CLOTH.



2 MESH



3 MESH



4 MESH

This cloth is used extensively for lining corn cribs, and is heavily galvanized after woven,

Three mesh is the best mesh for cribs. We sell all meshes of galvanized hardware cloth

Also heavy grades Galvanized Wire Cloth.



Steel Letter Files
Rated Fireproof Safes
Steel Desks and Tables
Adjustable Steel Shelving
Steel Storage Cabinets - Steel Lockers

Use a four drawer file as shown—then
your correspondence and Catalogues will
always be

RIGHT THERE WHEN YOU WANT THEM.




Adjustable Steel Shelving
and Bins —————
will solve your storage problems




Easy to erect--prices right
Shelving Catalogue shows Full Line
Sent on Request

ALL SIZES AND STYLES SCREEN DOORS AND WINDOWS
SCREEN MOULDING AND WEATHER STRIP



No. 20-G 14



Adjustable Screens



No. 06 G 12

KNOCKED DOWN FRAMES

Send for our special circular and prices.

METAL LATH

CORNER BEAD

Wall Ties - CHANNELS

STEEL SASH

Wire Mesh Concrete Re-inforcing

Concrete Floor Hardener, Concrete Waterproofing
and Damp-proofing, Foundation Brush Coating, G F #12
Accelerator (Anti-freeze), etc., etc.

DISTRIBUTORS

Complete Line of

Certain-teed***Products.***

Shingles :- Building Paper
 Roof Coatings :- Roofing
 Beaver Insulating Board and Lath
 Beaver Hard Board



Beaver
 Kenmore
 Wall Board

Price List For The Asking.

ADJUSTABLE STEEL SHELVING.

(Is fast taking the place of wood—Suitable for
all kinds of storage)

BOLT BINS FIRE-PROOF SAFES STEEL DESKS
OFFICE FURNITURE STEEL LOCKERS and CABINETS.

Send for Catalogue.

Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, www.apti.org for the
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of Gerron S. Hite, West Texas Collection, Angelo State University, San Angelo, TX

